


Packing and Unpacking Instructions

The complete contents of this case include:


- Backpack unit
- Collapsible anode pole
- Anode hoops
- Cathode rat-tail
- 4 Pole clips and 1 pole connecting wire
- Two batteries
- Battery charger
- Waist belt
- Manual and case instructions




Index:

- Page 1: Index and component list
- Page 2: Charger assembly
- Page 3: Pole assembly
- Page 4: Attaching waist belt
- Page 5: Packing instructions
- Page 6: Packing instructions
- Page 7: Packing instructions

The charger is stowed in 3 pieces and requires assembly before use.




Pole Assembly: Begin by connecting the wire(1) into the button section(2). Then, feed the wire(1) through the middle section(3). The “Top” label(4) should point toward the button(2) section. Slide the middle section onto the button section. Connect the wire into the hoop section(5) and slide the hoop section onto the middle section. Rotate the sections as needed to align the holes and slide the pins through. The pins should go through without much resistance. Rotate 180 degrees if problematic.



Slide the hoop into the bracket until the hoop notches are aligned with the bracket holes. Use the pins to secure the hoop. Two pins are not required to secure the hoop. The pole is now assembled.



Waist Belt: The waist belt needs to be attached to the frame. Begin by working the waist belt attachment wings through the metal loops of the frame. Extend the strap to the buckle and work it through the buckle as shown. When properly threaded, the strap can be pulled tight and will not loosen when released. Then, tighten the strap such that the waist belt is firmly attached to the frame.



Packing instructions


- 1.) Disassemble pole by removing all pins, connecting wire and hoop from pole.
- 2.) Disassemble charger into 3 pieces.
- 3.) Remove waist belt from backpack.
- 4.) Place manual and any documents in rectangular cutout section in bottom of the case.
- 5.) Insert spare battery, pole clips and charger into respective compartments.
- 6.) Begin packing the pole by placing bottom hoop section into square cutout first.



- 7.) Place the middle section in next, then the top/button section. The top section and its excess wire/plug can be stowed in the compartment. The connecting wire can be placed there as well.
- 8.) Place hoops and cathode rat-tail on top of manual.



9.) Place backpack with a battery into the case as shown. Then place the detached waist belt around the bottom of the battery case.



Important Packing Notes

- Ensure the battery is not plugged in.
- Do not close the case and store if any components are wet. Allow to dry first.
- All components should fit comfortably in the allotted spaces.
- The lid should close without resistance yet not allow for movement inside.